



<b>CERTIFICATE OF COMPLIANCE</b>		<b>NRCC-LTS-01-E</b>
Sign Lighting		(Page 1 of 5)
Project Name:	Date Prepared:	

<b>A. General Information</b>			
Project Address:			
Location of Sign	Outdoor Signs	Indoor Signs	
Phase of Sign Construction	New Signs	Sign Alterations	
Type of Lighting Control	New Lighting Controls	Replaced Lighting Controls	Not Installing Lighting Controls
This Certificate of Compliance includes the following components (check all that apply):			
Mandatory Measures (Lighting Controls)	Maximum Allowed Lighting Power	Specific Lighting Sources	

<b>1. Mandatory Sign Lighting Controls</b>	
<b>NOTES:</b>	
<p>1. The same responsible person may install both the sign lighting power and the sign lighting controls, or a different responsible person may install the sign lighting controls than the responsible person installing the sign lighting power.</p> <p>2. The Mandatory Measures (sign lighting controls) are required for compliance with the sign lighting Standards. If the person responsible for installing the sign lighting power is not also responsible for the sign lighting controls, then the owner of the sign, general contractor, or architect shall be responsible to have the sign lighting controls installed.</p> <p>3. If more than one person has responsibility for compliance, each responsible person shall prepare and sign a Certificate of Compliance and an Installation Certificate applicable to the portion of construction for which they are responsible; alternatively, the person with chief responsibility for construction shall prepare and sign the Certificate of Compliance Declaration Statement for the entire construction (e.g. a C-10 contractor may complete parts 1a and 1b on one compliance document and a C-45 contractor may complete parts 2a and 2b on a separate compliance document – the Responsible Designer shall submit the two compliance documents together for the same complete installation).</p>	
<b>I have responsibility for installing the sign lighting controls:</b>	
Yes, I have responsibility for the sign lighting controls, and will complete parts 1a and 1b of this compliance document	No, I do not have responsibility for installing the sign lighting controls. Someone else will complete parts 1a and 1b of this compliance document.
<b>1a. Check Yes or No for all of the following statements:</b>	
1	There are existing sign lighting controls that comply with the applicable provisions of §110.9 and §130.3 Yes <span style="margin-left: 150px;">No</span>
2	There are no existing sign lighting controls and I will be installing sign lighting controls that comply with the applicable provisions of §110.9 and §130.3 Yes <span style="margin-left: 150px;">No</span>
3	There are existing sign lighting controls that do not comply with the applicable provisions of §110.9 and §130.3 and I will be installing sign lighting controls that comply with the applicable provisions of §110.9 and §130.3 Yes <span style="margin-left: 150px;">No</span>



CERTIFICATE OF COMPLIANCE	NRCC-LTS-01-E
Sign Lighting	(Page 2 of 5)
Project Name:	Date Prepared:

**1b. Mandatory Sign Lighting Controls**

If the person signing the Certificate of Compliance Declaration Statement on this NRCC-LTS-01-E is responsible for complying with the sign lighting control requirements, that person shall answer all of the following questions:

If there are construction documents, indicate where on the building plans the mandatory measures (sign lighting control) note block can be located:

1	§130.3(a)1. All <b>indoor sign lighting</b> is controlled with an automatic time-switch control or astronomical time-switch control.	Y	N	NA
2	§130.3(a)2A. All <b>outdoor sign lighting</b> is controlled with a photocontrol in addition to an automatic time-switch control, or an astronomical time-switch control.	Y	N	NA
	<b>EXCEPTION to Section 130.3(a)2A:</b> Outdoor signs in tunnels, and signs in large permanently covered outdoor areas that are intended to be continuously lit, 24 hours per day and 365 days per year.	Y		NA
3	§130.3(a)2B. All <b>outdoor sign lighting</b> that is ON both day and night is controlled with a dimmer that provides the ability to automatically reduce sign lighting power by a minimum of 65% during nighttime hours. Signs that are illuminated at night and for more than 1 hour during daylight hours shall be considered ON both day and night.	Y	N	NA
	<b>EXCEPTION to Section 130.3(a)2B:</b> Outdoor signs in tunnels and large covered areas that are intended to be illuminated both day and night.	Y		NA
4	§130.3(a)3. <b>Demand Responsive Electronic Message Center Control.</b> An Electronic Message Center (EMC) having a new connected lighting power load greater than 15 kW has a control installed that is capable of reducing the lighting power by a minimum of 30% when receiving a demand response signal.	Y	N	N/A
	<b>EXCEPTION to Section 130.3(a)3:</b> Lighting for EMCs that is not permitted by a health or life safety statute, ordinance, or regulation to be reduced by 30%.	Y		NA

Field Inspector Notes:



<b>CERTIFICATE OF COMPLIANCE</b>	<b>NRCC-LTS-01-E</b>
Sign Lighting	(Page 3 of 5)
Project Name:	Date Prepared:

**2. Mandatory Sign Lighting Measures**

**I have responsibility for installing the sign lighting**

Yes, I have responsibility for the sign lighting, and will complete parts 2a and 2b of this compliance document No, I do not have responsibility for installing the sign lighting. Someone else will complete parts 2a and 2b of this compliance document.

**2a. Maximum Allowed Lighting Power Method of Compliance**

Certificate of Compliance and Field Inspection Energy Checklist.

Complete this part if there are signs using the maximum allowed lighting power method of compliance. (Complete part 2b of this Certificate of Compliance if there are signs using the Specific Lighting Sources method of compliance).

A	B	C	D	E	F	G	H	I	J
Symbol or Code	Description of the Sign	OPTIONAL – Energy Verified Label (see instructions below)	Allotted Watts			Design Watts	Complies Y/N	Filed Inspector Check that Sign Complies	
			Sign Area (ft <sup>2</sup> )	Internally (I) or Externally (E) Illuminated	Allowed LPD (I = 12 W/ft <sup>2</sup> (E = 2.3 W/ft <sup>2</sup> ))				Allowed Watts (D x F)
		✓						Complies if H ≤ G	✓

- A Symbol or code used on the plans (when plans are required) and other documents.
- B A description of the sign, or location of sign on the building; and the location of sign on construction documents.
- C OPTIONAL - Check this box only if this sign has a permanent, pre-printed, factory-installed, ENERGY VERIFIED label, confirming that the sign complies with the Section 140.8 of the California 2016 Title 24, Part 6 Standards, using the Maximum Allowed Lighting Power method of compliance. The only labels that will be recognized for this purpose are ENERGY VERIFIED Certification Marks authorized by Underwriters Laboratories (UL) or other Product Certification Body accredited to ISO/IEC Guide 65 by the American National Standards Institute in accordance with ISO/IEC 17011. Surveillance by the Accredited Certification Body shall be an ongoing annual inspection program carried out by a Type A Inspection body in accordance with ISO/IEC 17020. For signs with such an ENERGY VERIFIED label, columns 'D' through 'I' are not required to be filled out. Note: Using an ENERGY VERIFIED label is an optional method to validate compliance. An ENERGY VERIFIED label is not needed for compliance.
- D The sign area in square feet.
- E List "I" if the sign is internally illuminated. List "E" if the sign is externally illuminated.
- F Allowed watts per square foot. Enter 12 if the sign is listed as "I" in column E. Enter 2.3 if sign is listed as "E" in column E.
- G Multiply the square footage in column D times the allowed Lighting Power Density (LPD = watts) in column F.
- H Show the total installed watts in the sign, as determined according to the applicable provisions of §130(c).
- I Enter Y if the number in column H is less than or equal to the number in column G. Otherwise, the sign does not comply.
- J This page doubles as a field inspection checklist.

Field Inspector Notes:



<b>CERTIFICATE OF COMPLIANCE</b>	<b>NRCC-LTS-01-E</b>
Sign Lighting	(Page 4 of 5)
Project Name:	Date Prepared:

**2b. Specific Lighting Source Method of Compliance**

Certificate of Compliance and Field Inspection Energy Checklist

Complete this part if there are signs using the Specific Lighting Source method of compliance. (Complete part 2 of this Certificate of Compliance if there are signs using the maximum allowed lighting power method of compliance)

A	B	C	D	E
Symbol or Code	Description	<b>OPTIONAL</b> ENERGY VERIFIED label (see instructions below)	Specific light source used for compliance Shall include only lighting technologies listed below (List all that apply)	Field Inspector Check that Sign Complies ✓

A	Symbol or code used on the plans (when plans are required) and other documents.
B	A narrative description of the sign, or location of sign on the building; and the location of sign on construction documents
C	OPTIONAL - Check this box only if this sign has a permanent, pre-printed, factory-installed ENERGY VERIFIED label, confirming that this sign complies with the Section 140.8 of the California 2016 Title 24, Part 6 Standards, using the Specific Lighting Source Method of Compliance. The only labels that will be recognized for this purpose are ENERGY VERIFIED Certification Marks authorized by Underwriters Laboratories (UL) or other Product Certification Body accredited to ISO/IEC Guide 65 by the American National Standards Institute in accordance with ISO/IEC 17011. Surveillance by the Accredited Certification Body shall be an ongoing annual inspection program carried out by a Type A Inspection body in accordance with ISO/IEC 17020. For signs with such an ENERGY VERIFIED label, column 'D' is not required to be filled out. Note: Using an ENERGY VERIFIED label is an optional method to validate compliance. An ENERGY VERIFIED label is not needed for compliance.
Specific Light Source Compliance Method. The sign(s) identified above use only the following lighting technologies: List all applicable numbers (1 through 9) that apply in column D above for each row.	
1	High pressure sodium lamps
2	Metal halide lamps that are pulse start or ceramic served by a ballast that has a minimum efficiency of 88% or greater. Ballast efficiency is the measured output wattage to the lamp divided by the measured operating input wattage when tested according to ANSI C82.6-2005.
3	Metal halide lamps that are pulse start that are 320 watts or smaller, are not 250 watt or 175 watt lamps, and are served by a ballast that has a minimum efficiency of 80%. Ballast efficiency is the measured output wattage to the lamp divided by the measured operating input wattage when tested according to ANSI C82.6-2005.
D	4 Neon or cold cathode lamps with transformer or power supply efficiency greater than or equal to a minimum efficiency of 75% when the transformer or power supply rated output current is less than 50 mA. The ratio of the output wattage to the input wattage is at 100% tubing load.
	5 Neon or cold cathode lamps with transformer or power supply efficiency greater than or equal to a minimum efficiency of 68% when the transformer or power supply rated output current is 50 mA or greater. The ratio of the output wattage to the input wattage is at 100% tubing load.
	6 Fluorescent lighting systems meeting one of the following requirements: A.) Use only lamps with a minimum color rendering index (CRI) of 80; or B.) Use only electronic ballasts with a fundamental output frequency not less than 20 kHz.
	7 Light emitting diodes (LEDs) with a power supply having an efficiency of 80% or greater.
	8 Single voltage external power supplies that are designed to convert 120 volt AC input into lower voltage DC or AC output, and have a nameplate output power less than or equal to 250 watts, shall comply with the applicable requirements of the Appliance Efficiency Regulations (Title 20).
9	Compact fluorescent lamps that do not contain a medium screw base sockets (E24/E26).
E	This page doubles as a field inspection checklist.

Field Inspector Notes:



CERTIFICATE OF COMPLIANCE		NRCC-LTS-01-E
Sign Lighting		(Page 5 of 5)
Project Name:	Date Prepared:	

<b>DOCUMENTATION AUTHOR'S DECLARATION STATEMENT</b>	
1. I certify that this Certificate of Compliance documentation is accurate and complete.	
Documentation Author Name:	Documentation Author Signature:
Company:	Signature Date:
Address:	CEA Certification Identification (if applicable):
City/State/Zip:	Phone:

<b>RESPONSIBLE PERSON'S DECLARATION STATEMENT</b>	
I certify the following under penalty of perjury, under the laws of the State of California:	
<ol style="list-style-type: none"> <li>The information provided on this Certificate of Compliance is true and correct.</li> <li>I am eligible under Division 3 of the Business and Professions Code to accept responsibility for the building design or system design identified on this Certificate of Compliance (responsible designer).</li> <li>The energy features and performance specifications, materials, components, and manufactured devices for the building design or system design identified on this Certificate of Compliance conform to the requirements of Title 24, Part 1 and Part 6 of the California Code of Regulations.</li> <li>The building design features or system design features identified on this Certificate of Compliance are consistent with the information provided on other applicable compliance documents, worksheets, calculations, plans and specifications submitted to the enforcement agency for approval with this building permit application.</li> <li>I will ensure that a completed signed copy of this Certificate of Compliance shall be made available with the building permit(s) issued for the building, and made available to the enforcement agency for all applicable inspections. I understand that a completed signed copy of this Certificate of Compliance is required to be included with the documentation the builder provides to the building owner at occupancy.</li> </ol>	
Responsible Designer Name:	Responsible Designer Signature:
Company :	Date Signed:
Address:	License:
City/State/Zip:	Phone: